

Steel Tube



Keeping the art of distribution simple

Steel Tube

Shawston Steel Tube

The Shawston Group has a vast stock of over 2000 tons of red and galvanised, heavy and medium weight steel tube available to draw on next day. Our bespoke, 20,000 sq. ft in-house processing plant situated at our SST Manchester branch is where our skilled fabrication team can cut, thread or groove every length of steel tube we sell, as well as providing a full take-off service. All in-house tools used to groove our pipe are manufactured and supplied by Victaulic, along with their grooved certification tape. Every groove is individually checked at the manufacturing stage by our team of Victaulic trained and skilled professionals.

The team are on-hand to cut specified lengths to +/- 1mm tolerances. All our 15nb to 150nb steel tube is dual certified EN10255/10217 and batch test certificates are available upon request.

Keeping Control

We can control the quality, cost and lead time which allows us to be consistent on price and delivery. At the same time our in-house facility ensures we can turn around large projects at short notice. All supplied steel tube is available the very next day including all end finishes, including screwed, plain and grooved in both full and half lengths, reducing the time lost on site waiting for deliveries to arrive.

In Partnership

We work closely with Victaulic on a variety of different mechanical services projects across the UK. Our nationwide team are experienced in dealing with schematics directly from Victaulic or your own in-house drawings; their skill, proficiency and rapid turnaround means that Shawston should always be your first choice for steel tube.



Steel Tube EN10255 / 10217 Technical Data

	NOMINAL BORE NB		OUTSIDE DIAMETER OD		WALL THICKNESS (MM)	WEIGHT (KG/M)	LEN / BUNDLE
	(INCH)	(MM)	MINIMUM (MM)	MAXIMUM (MM)		PLAIN ENDS	
MEDIUM	1/2"	15	21	21.8	2.6	1.2	169
	3/4"	20	26.5	27.3	2.6	1.6	127
	1"	25	33.3	34.2	3.2	2.4	91
	1 1/4"	32	42	42.9	3.2	3.1	61
	1 1/2"	40	47.9	48.8	3.2	3.6	61
	2"	50	59.7	60.8	3.6	5	37
	2 1/2"	65	75.3	76.6	3.6	6.4	37
	3"	80	88	89.5	4	8.4	19
	4"	100	113.1	115	4.5	12.2	19
	5"	125	138.5	140.8	5	16.6	10
6"	150	163.9	166.5	5	19.8	7	
HEAVY	1/2"	15	21	21.8	3.2	1.4	169
	3/4"	20	26.5	27.3	3.2	1.9	127
	1"	25	33.3	34.2	4	2.9	91
	1 1/4"	32	42	42.9	4	3.8	61
	1 1/2"	40	47.9	48.8	4	4.4	61
	2"	50	59.7	60.8	4.5	6.2	37
	2 1/2"	65	75.3	76.6	4.5	7.9	37
	3"	80	88	89.5	5	10.3	19
	4"	100	113.1	115	5.4	14.5	19
	5"	125	138.5	140.8	5.4	17.9	10
6"	150	163.9	166.5	5.4	21.3	7	

CHEMICAL COMPOSITION %				MECHANICAL PROPERTIES	
C (max)	Mn (max)	P (max)	S (max)	Tensile Strength Rm (MPa)	Elongation (A min %)
0.20	0.70	0.045	0.045	320 to 460	20

Red Heavy Steel Tube - Plain Ends



Key Features:

- **Dual Certified to EN10255/10217.**
- **CE Marked.**
- **Each length has heat batch references, giving full traceability.**
- **Batch test certificates available upon request.**
- **Cut to specific length service available to +/- 1mm tolerances.**

CODE	Description
Full Randoms	
RHTP008	8mm Red Hvy Tube P/E Full Length
RHTP010	10mm Red Hvy Tube P/E Full Length
RHTP015	15mm Red Hvy Tube P/E Full Length
RHTP020	20mm Red Hvy Tube P/E Full Length
RHTP025	25mm Red Hvy Tube P/E Full Length
RHTP032	32mm Red Hvy Tube P/E Full Length
RHTP040	40mm Red Hvy Tube P/E Full Length
RHTP050	50mm Red Hvy Tube P/E Full Length
RHTP065	65mm Red Hvy Tube P/E Full Length
RHTP080	80mm Red Hvy Tube P/E Full Length
RHTP100	100mm Red Hvy Tube P/E Full Length
RHTP125	125mm Red Hvy Tube P/E Full Length
RHTP150	150mm Red Hvy Tube P/E Full Length
Half Randoms	
RHTPHL008	8mm Red Hvy Tube P/E Half Length
RHTPHL010	10mm Red Hvy Tube P/E Half Length
RHTPHL015	15mm Red Hvy Tube P/E Half Length
RHTPHL020	20mm Red Hvy Tube P/E Half Length
RHTPHL025	25mm Red Hvy Tube P/E Half Length
RHTPHL032	32mm Red Hvy Tube P/E Half Length
RHTPHL040	40mm Red Hvy Tube P/E Half Length
RHTPHL050	50mm Red Hvy Tube P/E Half Length
RHTPHL065	65mm Red Hvy Tube P/E Half Length
RHTPHL080	80mm Red Hvy Tube P/E Half Length
RHTPHL100	100mm Red Hvy Tube P/E Half Length
RHTPHL125	125mm Red Hvy Tube P/E Half Length
RHTPHL150	150mm Red Hvy Tube P/E Half Length

Red Heavy Steel Tube - Screwed Ends - Tapered Thread



Key Features:

- **Dual Certified to EN10255/10217.**
- **CE Marked.**
- **In-house threading, enabling us to control quality and costs.**
- **Each length has heat batch references, giving full traceability.**
- **Batch test certificates available upon request.**
- **Cut to specific length service available to +/- 1mm tolerances.**

CODE	Description
Full Randoms	
RHTS008	8mm Red Hvy Tube S/S Full Length
RHTS010	10mm Red Hvy Tube S/S Full Length
RHTS015	15mm Red Hvy Tube S/S Full Length
RHTS020	20mm Red Hvy Tube S/S Full Length
RHTS025	25mm Red Hvy Tube S/S Full Length
RHTS032	32mm Red Hvy Tube S/S Full Length
RHTS040	40mm Red Hvy Tube S/S Full Length
RHTS050	50mm Red Hvy Tube S/S Full Length
RHTS065	65mm Red Hvy Tube S/S Full Length
RHTS080	80mm Red Hvy Tube S/S Full Length
RHTS100	100mm Red Hvy Tube S/S Full Length
Half Randoms	
RHTSHL008	8mm Red Hvy Tube S/S Half Length
RHTSHL010	10mm Red Hvy Tube S/S Half Length
RHTSHL015	15mm Red Hvy Tube S/S Half Length
RHTSHL020	20mm Red Hvy Tube S/S Half Length
RHTSHL025	25mm Red Hvy Tube S/S Half Length
RHTSHL032	32mm Red Hvy Tube S/S Half Length
RHTSHL040	40mm Red Hvy Tube S/S Half Length
RHTSHL050	50mm Red Hvy Tube S/S Half Length
RHTSHL065	65mm Red Hvy Tube S/S Half Length
RHTSHL080	80mm Red Hvy Tube S/S Half Length
RHTSHL100	100mm Red Hvy Tube S/S Half Length

Red Heavy Steel Tube - Roll Grooved Ends - Victaulic Approved



Key Features:

- **Dual Certified to EN10255/10217.**
- **CE Marked.**
- **In-house Victaulic roll grooved end finish, each end quality checked with Victaulic groove depth measuring tapes, all Shawston operatives are fully trained by Victaulic.**
- **Each length has heat batch references, giving full traceability.**
- **Batch test certificates available upon request.**
- **Cut to specific length service available to +/- 1mm tolerances.**

CODE	Description
Full Randoms	
RHTG025	25mm Red Hvy Tube Grd Full Length
RHTG032	32mm Red Hvy Tube Grd Full Length
RHTG040	40mm Red Hvy Tube Grd Full Length
RHTG050	50mm Red Hvy Tube Grd Full Length
RHTG065	65mm Red Hvy Tube Grd Full Length
RHTG080	80mm Red Hvy Tube Grd Full Length
RHTG100	100mm Red Hvy Tube Grd Full Length
RHTG125	125mm Red Hvy Tube Grd Full Length
RHTG150	150mm Red Hvy Tube Grd Full Length
Half Randoms	
RHTGHL025	25mm Red Hvy Tube Grd Half Length
RHTGHL032	32mm Red Hvy Tube Grd Half Length
RHTGHL040	40mm Red Hvy Tube Grd Half Length
RHTGHL050	50mm Red Hvy Tube Grd Half Length
RHTGHL065	65mm Red Hvy Tube Grd Half Length
RHTGHL080	80mm Red Hvy Tube Grd Half Length
RHTGHL100	100mm Red Hvy Tube Grd Half Length
RHTGHL125	125mm Red Hvy Tube Grd Half Length
RHTGHL150	150mm Red Hvy Tube Grd Half Length

Red Medium Steel Tube - Plain Ends



Key Features:

- **Dual Certified to EN10255/10217.**
- **CE Marked.**
- **Each length has heat batch references, giving full traceability.**
- **Batch test certificates available upon request.**
- **Cut to specific length service available to +/- 1mm tolerances.**

CODE	Description
Full Randoms	
RMTP008	8mm Red Med Tube P/E Full Length
RMTP010	10mm Red Med Tube P/E Full Length
RMTP015	15mm Red Med Tube P/E Full Length
RMTP020	20mm Red Med Tube P/E Full Length
RMTP025	25mm Red Med Tube P/E Full Length
RMTP032	32mm Red Med Tube P/E Full Length
RMTP040	40mm Red Med Tube P/E Full Length
RMTP050	50mm Red Med Tube P/E Full Length
RMTP065	65mm Red Med Tube P/E Full Length
RMTP080	80mm Red Med Tube P/E Full Length
RMTP100	100mm Red Med Tube P/E Full Length
RMTP125	125mm Red Med Tube P/E Full Length
RMTP150	150mm Red Med Tube P/E Full Length
Half Randoms	
RMTPHL008	8mm Red Med Tube P/E Half Length
RMTPHL010	10mm Red Med Tube P/E Half Length
RMTPHL015	15mm Red Med Tube P/E Half Length
RMTPHL020	20mm Red Med Tube P/E Half Length
RMTPHL025	25mm Red Med Tube P/E Half Length
RMTPHL032	32mm Red Med Tube P/E Half Length
RMTPHL040	40mm Red Med Tube P/E Half Length
RMTPHL050	50mm Red Med Tube P/E Half Length
RMTPHL065	65mm Red Med Tube P/E Half Length
RMTPHL080	80mm Red Med Tube P/E Half Length
RMTPHL100	100mm Red Med Tube P/E Half Length
RMTPHL125	125mm Red Med Tube P/E Half Length
RMTPHL150	150mm Red Med Tube P/E Half Length

Red Medium Steel Tube - Screwed Ends - Tapered Thread



Key Features:

- **Dual Certified to EN10255/10217.**
- **CE Marked.**
- **In-house threading, enabling us to control quality and costs.**
- **Each length has heat batch references, giving full traceability.**
- **Batch test certificates available upon request.**
- **Cut to specific length service available to +/- 1mm tolerances.**

CODE	Description
Full Randoms	
RMTS008	8mm Red Med Tube S/S Full Length
RMTS010	10mm Red Med Tube S/S Full Length
RMTS015	15mm Red Med Tube S/S Full Length
RMTS020	20mm Red Med Tube S/S Full Length
RMTS025	25mm Red Med Tube S/S Full Length
RMTS032	32mm Red Med Tube S/S Full Length
RMTS040	40mm Red Med Tube S/S Full Length
RMTS050	50mm Red Med Tube S/S Full Length
RMTS065	65mm Red Med Tube S/S Full Length
RMTS080	80mm Red Med Tube S/S Full Length
RMTS100	100mm Red Med Tube S/S Full Length
Half Randoms - Screwed One End Only	
RMTSHL008	8mm Red Med Tube SOE Half Length
RMTSHL010	10mm Red Med Tube SOE Half Length
RMTSHL015	15mm Red Med Tube SOE Half Length
RMTSHL020	20mm Red Med Tube SOE Half Length
RMTSHL025	25mm Red Med Tube SOE Half Length
RMTSHL032	32mm Red Med Tube SOE Half Length
RMTSHL040	40mm Red Med Tube SOE Half Length
RMTSHL050	50mm Red Med Tube SOE Half Length
RMTSHL065	65mm Red Med Tube SOE Half Length
RMTSHL080	80mm Red Med Tube SOE Half Length
RMTSHL100	100mm Red Med Tube SOE Half Length

Red Medium Steel Tube - Roll Grooved Ends - Victaulic Approved



Key Features:

- **Dual Certified to EN10255/10217.**
- **CE Marked.**
- **In-house Victaulic roll grooved end finish. Each end is quality checked with Victaulic groove depth measuring tapes. All Shawston operatives are fully trained by Victaulic.**
- **Each length has heat batch references, giving full traceability.**
- **Batch test certificates available upon request.**
- **Cut to specific length service available to +/- 1mm tolerances.**

CODE	Description
Full Randoms	
RMTG025	25mm Red Med Tube Grd Full Length
RMTG032	32mm Red Med Tube Grd Full Length
RMTG040	40mm Red Med Tube Grd Full Length
RMTG050	50mm Red Med Tube Grd Full Length
RMTG065	65mm Red Med Tube Grd Full Length
RMTG080	80mm Red Med Tube Grd Full Length
RMTG100	100mm Red Med Tube Grd Full Length
RMTG125	125mm Red Med Tube Grd Full Length
RMTG150	150mm Red Med Tube Grd Full Length
Half Randoms	
RMTGHL025	25mm Red Med Tube Grd Half Length
RMTGHL032	32mm Red Med Tube Grd Half Length
RMTGHL040	40mm Red Med Tube Grd Half Length
RMTGHL050	50mm Red Med Tube Grd Half Length
RMTGHL065	65mm Red Med Tube Grd Half Length
RMTGHL080	80mm Red Med Tube Grd Half Length
RMTGHL100	100mm Red Med Tube Grd Half Length
RMTGHL125	125mm Red Med Tube Grd Half Length
RMTGHL150	150mm Red Med Tube Grd Half Length

Galvanised Heavy Steel Tube - Plain Ends



Key Features:

- **Dual Certified to EN10255/10217.**
- **CE Marked.**
- **Each length has heat batch references, giving full traceability.**
- **Batch test certificates available upon request.**
- **Cut to specific length service available to +/- 1mm tolerances.**

CODE	Description
Full Randoms	
GHTP008	8mm Galv Hvy Tube P/E Full Length
GHTP010	10mm Galv Hvy Tube P/E Full Length
GHTP015	15mm Galv Hvy Tube P/E Full Length
GHTP020	20mm Galv Hvy Tube P/E Full Length
GHTP025	25mm Galv Hvy Tube P/E Full Length
GHTP032	32mm Galv Hvy Tube P/E Full Length
GHTP040	40mm Galv Hvy Tube P/E Full Length
GHTP050	50mm Galv Hvy Tube P/E Full Length
GHTP065	65mm Galv Hvy Tube P/E Full Length
GHTP080	80mm Galv Hvy Tube P/E Full Length
GHTP100	100mm Galv Hvy Tube P/E Full Length
GHTP125	125mm Galv Hvy Tube P/E Full Length
GHTP150	150mm Galv Hvy Tube P/E Full Length
Half Randoms	
GHTPHL008	8mm Galv Hvy Tube P/E Half Length
GHTPHL010	10mm Galv Hvy Tube P/E Half Length
GHTPHL015	15mm Galv Hvy Tube P/E Half Length
GHTPHL020	20mm Galv Hvy Tube P/E Half Length
GHTPHL025	25mm Galv Hvy Tube P/E Half Length
GHTPHL032	32mm Galv Hvy Tube P/E Half Length
GHTPHL040	40mm Galv Hvy Tube P/E Half Length
GHTPHL050	50mm Galv Hvy Tube P/E Half Length
GHTPHL065	65mm Galv Hvy Tube P/E Half Length
GHTPHL080	80mm Galv Hvy Tube P/E Half Length
GHTPHL100	100mm Galv Hvy Tube P/E Half Length
GHTPHL125	125mm Galv Hvy Tube P/E Half Length
GHTPHL150	150mm Galv Hvy Tube P/E Half Length

Galvanised Heavy Steel Tube - Screwed Ends - Tapered Thread



Key Features:

- **Dual Certified to EN10255/10217.**
- **CE Marked.**
- **In-house threading, enabling us to control quality and costs.**
- **Each length has heat batch references, giving full traceability.**
- **Batch test certificates available upon request.**
- **Cut to specific length service available to +/- 1mm tolerances.**

CODE	Description
Full Randoms	
GHTS008	8mm Galv Hvy Tube S/S Full Length
GHTS010	10mm Galv Hvy Tube S/S Full Length
GHTS015	15mm Galv Hvy Tube S/S Full Length
GHTS020	20mm Galv Hvy Tube S/S Full Length
GHTS025	25mm Galv Hvy Tube S/S Full Length
GHTS032	32mm Galv Hvy Tube S/S Full Length
GHTS040	40mm Galv Hvy Tube S/S Full Length
GHTS050	50mm Galv Hvy Tube S/S Full Length
GHTS065	65mm Galv Hvy Tube S/S Full Length
GHTS080	80mm Galv Hvy Tube S/S Full Length
GHTS100	100mm Galv Hvy Tube S/S Full Length
Half Randoms	
GHTSHL008	8mm Galv Hvy Tube S/S Half Length
GHTSHL010	10mm Galv Hvy Tube S/S Half Length
GHTSHL015	15mm Galv Hvy Tube S/S Half Length
GHTSHL020	20mm Galv Hvy Tube S/S Half Length
GHTSHL025	25mm Galv Hvy Tube S/S Half Length
GHTSHL032	32mm Galv Hvy Tube S/S Half Length
GHTSHL040	40mm Galv Hvy Tube S/S Half Length
GHTSHL050	50mm Galv Hvy Tube S/S Half Length
GHTSHL065	65mm Galv Hvy Tube S/S Half Length
GHTSHL080	80mm Galv Hvy Tube S/S Half Length
GHTSHL100	100mm Galv Hvy Tube S/S Half Length

Galvanised Heavy Steel Tube - Roll Grooved Ends - Victaulic Approved



Key Features:

- **Dual Certified to EN10255/10217.**
- **CE Marked.**
- **In-house Victaulic roll grooved end finish. Each end is quality checked with Victaulic groove depth measuring tapes. All Shawston operatives are fully trained by Victaulic.**
- **Each length has heat batch references, giving full traceability.**
- **Batch test certificates available upon request.**
- **Cut to specific length service available to +/- 1mm tolerances.**

CODE	Description
Full Randoms	
GHTG025	25mm Galv Hvy Tube Grd Full Length
GHTG032	32mm Galv Hvy Tube Grd Full Length
GHTG040	40mm Galv Hvy Tube Grd Full Length
GHTG050	50mm Galv Hvy Tube Grd Full Length
GHTG065	65mm Galv Hvy Tube Grd Full Length
GHTG080	80mm Galv Hvy Tube Grd Full Length
GHTG100	100mm Galv Hvy Tube Grd Full Length
GHTG125	125mm Galv Hvy Tube Grd Full Length
GHTG150	150mm Galv Hvy Tube Grd Full Length
Half Randoms	
GHTGHL025	25mm Galv Hvy Tube Grd Half Length
GHTGHL032	32mm Galv Hvy Tube Grd Half Length
GHTGHL040	40mm Galv Hvy Tube Grd Half Length
GHTGHL050	50mm Galv Hvy Tube Grd Half Length
GHTGHL065	65mm Galv Hvy Tube Grd Half Length
GHTGHL080	80mm Galv Hvy Tube Grd Half Length
GHTGHL100	100mm Galv Hvy Tube Grd Half Length
GHTGHL125	125mm Galv Hvy Tube Grd Half Length
GHTGHL150	150mm Galv Hvy Tube Grd Half Length

Galvanised Medium Steel Tube - Plain Ends



Key Features:

- **Dual Certified to EN10255/10217.**
- **CE Marked.**
- **Each length has heat batch references, giving full traceability.**
- **Batch test certificates available upon request.**
- **Cut to specific length service available to +/- 1mm tolerances.**

CODE	Description
Full Randoms	
GMTP008	8mm Galv Med Tube P/E Full Length
GMTP010	10mm Galv Med Tube P/E Full Length
GMTP015	15mm Galv Med Tube P/E Full Length
GMTP020	20mm Galv Med Tube P/E Full Length
GMTP025	25mm Galv Med Tube P/E Full Length
GMTP032	32mm Galv Med Tube P/E Full Length
GMTP040	40mm Galv Med Tube P/E Full Length
GMTP050	50mm Galv Med Tube P/E Full Length
GMTP065	65mm Galv Med Tube P/E Full Length
GMTP080	80mm Galv Med Tube P/E Full Length
GMTP100	100mm Galv Med Tube P/E Full Length
GMTP125	125mm Galv Med Tube P/E Full Length
GMTP150	150mm Galv Med Tube P/E Full Length
Half Randoms	
GMTPHL008	8mm Galv Med Tube P/E Half Length
GMTPHL010	10mm Galv Med Tube P/E Half Length
GMTPHL015	15mm Galv Med Tube P/E Half Length
GMTPHL020	20mm Galv Med Tube P/E Half Length
GMTPHL025	25mm Galv Med Tube P/E Half Length
GMTPHL032	32mm Galv Med Tube P/E Half Length
GMTPHL040	40mm Galv Med Tube P/E Half Length
GMTPHL050	50mm Galv Med Tube P/E Half Length
GMTPHL065	65mm Galv Med Tube P/E Half Length
GMTPHL080	80mm Galv Med Tube P/E Half Length
GMTPHL100	100mm Galv Med Tube P/E Half Length
GMTPHL125	125mm Galv Med Tube P/E Half Length
GMTPHL150	150mm Galv Med Tube P/E Half Length

Galvanised Medium Steel Tube - Screwed Ends - Tapered Thread



Key Features:

- **Dual Certified to EN10255/10217.**
- **CE Marked.**
- **In-house threading, enabling us to control quality and costs.**
- **Each length has heat batch references, giving full traceability.**
- **Batch test certificates available upon request.**
- **Cut to specific length service available to +/- 1mm tolerances.**

CODE	Description
Full Randoms	
GMTS008	8mm Galv Med Tube S/S Full Length
GMTS010	10mm Galv Med Tube S/S Full Length
GMTS015	15mm Galv Med Tube S/S Full Length
GMTS020	20mm Galv Med Tube S/S Full Length
GMTS025	25mm Galv Med Tube S/S Full Length
GMTS032	32mm Galv Med Tube S/S Full Length
GMTS040	40mm Galv Med Tube S/S Full Length
GMTS050	50mm Galv Med Tube S/S Full Length
GMTS065	65mm Galv Med Tube S/S Full Length
GMTS080	80mm Galv Med Tube S/S Full Length
GMTS100	100mm Galv Med Tube S/S Full Length
Half Randoms - Screwed One End Only	
GMTSHL008	8mm Galv Med Tube SOE Half Length
GMTSHL010	10mm Galv Med Tube SOE Half Length
GMTSHL015	15mm Galv Med Tube SOE Half Length
GMTSHL020	20mm Galv Med Tube SOE Half Length
GMTSHL025	25mm Galv Med Tube SOE Half Length
GMTSHL032	32mm Galv Med Tube SOE Half Length
GMTSHL040	40mm Galv Med Tube SOE Half Length
GMTSHL050	50mm Galv Med Tube SOE Half Length
GMTSHL065	65mm Galv Med Tube SOE Half Length
GMTSHL080	80mm Galv Med Tube SOE Half Length
GMTSHL100	100mm Galv Med Tube SOE Half Length

Galvanised Medium Steel Tube - Roll Grooved Ends - Victaulic Approved



Key Features:

- **Dual Certified to EN10255/10217.**
- **CE Marked.**
- **In-house Victaulic roll grooved end finish. Each end is quality checked with Victaulic groove depth measuring tapes. All Shawston operatives are fully trained by Victaulic.**
- **Each length has heat batch references, giving full traceability.**
- **Batch test certificates available upon request.**
- **Cut to specific length service available to +/- 1mm tolerances.**

CODE	Description
Full Randoms	
GMTG025	20mm Galv Med Tube Grd Full Length
GMTG032	32mm Galv Med Tube Grd Full Length
GMTG040	40mm Galv Med Tube Grd Full Length
GMTG050	50mm Galv Med Tube Grd Full Length
GMTG065	65mm Galv Med Tube Grd Full Length
GMTG080	80mm Galv Med Tube Grd Full Length
GMTG100	100mm Galv Med Tube Grd Full Length
GMTG125	125mm Galv Med Tube Grd Full Length
GMTG150	150mm Galv Med Tube Grd Full Length
Half Randoms	
GMTGHL025	25mm Galv Med Tube Grd Half Length
GMTGHL032	32mm Galv Med Tube Grd Half Length
GMTGHL040	40mm Galv Med Tube Grd Half Length
GMTGHL050	50mm Galv Med Tube Grd Half Length
GMTGHL065	65mm Galv Med Tube Grd Half Length
GMTGHL080	80mm Galv Med Tube Grd Half Length
GMTGHL100	100mm Galv Med Tube Grd Half Length
GMTGHL125	125mm Galv Med Tube Grd Half Length
GMTGHL150	150mm Galv Med Tube Grd Half Length

Sch20 API5L ERW Tube



Key Features:

- **Finishes available in Self Colour, Varnished, Red Oxide & Galvanised.**
- **End finishes available are Plain End or Victaulic roll grooved.**
- **Cut to specific length service available to +/- 1mm tolerances.**
- **Bevelled Ends.**

NOMINAL BORE (NB)		OUTSIDE DIAMETER (OD)	WALL THICKNESS	WEIGHT (KG/M)
(Inch)	(mm)	(mm)	(mm)	Plain Ends
8	200	219.1	6.4	33.57
10	250	273.1	6.4	42.09
12	300	323.9	6.4	50.11
14	350	355.6	7.9	67.74
16	400	406.4	7.9	77.63

CODE	Description
Half Randoms	
APIW20200HR	200mm Sch20 API5L ERW Tube Half Length
APIW20250HR	250mm Sch20 API5L ERW Tube Half Length
APIW20300HR	300mm Sch20 API5L ERW Tube Half Length
APIW20350HR	350mm Sch20 API5L ERW Tube Half Length
APIW20400HR	400mm Sch20 API5L ERW Tube Half Length
Full Randoms	
APIW20200FL	200mm Sch20 API5L ERW Tube Full Length
APIW20250FL	250mm Sch20 API5L ERW Tube Full Length
APIW20300FL	300mm Sch20 API5L ERW Tube Full Length
APIW20350FL	350mm Sch20 API5L ERW Tube Full Length
APIW20400FL	400mm Sch20 API5L ERW Tube Full Length

LARGER SIZES AVAILABLE UPON REQUEST

www.shawston.co.uk

Shawston London
Units G & H,
Hillbottom Road,
Sands Industrial Estate,
High Wycombe,
Bucks HP12 4HS

Tel: 01494 460 910
Fax: 01494 522 573
Email: London@shawston.co.uk

Shawston Birmingham
Bay 1, Block D,
The Bescot Estate,
Woden Road West, Wednesbury
West Midlands WS10 7SG

Tel: 0121 556 3400
Fax: 0121 506 4669
Email: Birmingham@shawston.co.uk

Shawston Manchester
Great Norbury Street,
Hyde,
Cheshire SK14 1BW

Tel: 0161 368 4545
Fax: 0161 367 8114
Email: Manchester@shawston.co.uk

Shawston Glasgow
Block 1 Unit 4,
Annick Industrial Estate,
31 Sandilands Street,
Shettleston,
Glasgow G32 OHT

Tel: 0141 778 6975
Fax: 0141 778 6264
Email: Glasgow@shawston.co.uk
